

Lightweight :car transporter range

This trailer is ideal for cars up to 1500kg with options of twin or single braked axle

The Lightweight range is ideal for transporting small lightweight vehicles

and is commonly used by motor sport enthusiasts.

Model	Bed Dimensions	Load	Gross	Wheel size Axles	O/A width	O/A length	Loading angle	Gap between runways	Ramp length	Price ex VAT		
	In feet and inches	In mm	kg	kg	number	inches	mm	mm	degree	mm	mm	
LWT-010	8' x5'5" for Smart cars	2440 x 1650	980	1300	1	12	2170	3650	8	870	1520	£1,437
LWT-011	8'x5'7" for Smart cars	2440 x 1700	980	1300	1	12	2230	3700	8	875	1520	£1,437
LWT-020	8'8"x5'5" for Smart cars	2640 x 1650	980	1300	1	12	2170	3850	8	870	1520	£1,437
LWT-021	8'8"x5'7" for smart cars	2640 x 1700	980	1300	1	12	2230	3700	8	875	1520	£1,437
LWT-030	10'x5'5"	3050 x 1650	970	1300	1	12	2170	4245	8	870	1920	£1,503
LWT-031	10'x5'7"	3050 x 1700	960	1300	1	12	2230	4295	8	875	1920	£1,503
LWT-032	10'x6'1"	3050 x 1850	960	1300	1	12	2300	4345	8	975	1920	£1,503
LWT-040	11'x5'5"	3350 x 1650	950	1300	1	12	2170	4625	8	870	1920	£1,628
LWT-041	11'x5'7"	3350 x 1700	950	1300	1	12	2230	4670	8	875	1920	£1,628
LWT-042	11'x6'1"	3350 x 1850	950	1300	1	12	2300	4725	8	975	1920	£1,628
LWT-050	11'x5'5"	3350 x 1650	1200	1600	2	10	2170	4625	8	870	1920	£1,804
LWT-051	11'x5'7"	3350 x 1700	1200	1600	2	10	2230	4670	8	875	1920	£1,804
LWT-052	11'x6'1"	3350 x 1850	1200	1600	2	10	2300	4725	8	975	1920	£1,804
LWT-060	12'x5'5"	3660 x 1650	930	1300	1	12	2170	4925	8	870	1920	£1,672
LWT-061	12'x5'7"	3660 x 1700	940	1300	1	12	2230	4970	8	875	1920	£1,672
LWT-062	12'x6'1"	3660 x 1850	940	1300	1	12	2300	5025	8	975	1920	£1,672
LWT-070	12'x5'5"	3660 x 1650	1200	1600	2	10	2170	4925	8	870	1920	£1,815
LWT-071	12'x5'7"	3660 x 1700	1200	1600	2	10	2230	4970	8	875	1920	£1,815
LWT-072	12'x6'1"	3660 x 1850	1200	1600	2	10	2300	5025	8	975	1920	£1,815
LWT-073	12'x6'1"	3660 x 1850	1500	2000	2	12	2300	5025	8	975	1920	£1,947
LWT-080	13'x5'5"	3960 x 1650	930	1300	1	12	2170	5215	8	870	1920	£1,716
LWT-081	13'x5'7"	3960 x 1700	930	1300	1	12	2230	5260	8	875	1920	£1,716
LWT-082	13'x6'1"	3960 x 1850	950	1300	1	12	2300	5315	8	975	1920	£1,716
LWT-090	13'x5'5"	3960 x 1650	1200	1600	2	10	2170	5215	8	870	1920	£1,859
LWT-091	13'x5'7"	3960 x 1700	1200	1600	2	10	2230	5260	8	875	1920	£1,859
LWT-092	13'x6'1"	3960 x 1850	1200	1600	2	10	2300	5315	8	975	1920	£1,859
LWT-093	13'x6'1"	3960 x 1850	1500	2000	2	12	2300	5315	8	975	1920	£1,969
LWT-100	14'x5'5"	4270 x 1650	1200	1600	2	10	2170	5574	8	870	1920	£2,031
LWT-101	14'x5'7"	4270 x 1700	1200	1600	2	10	2230	5619	8	875	1920	£2,031
LWT-102	14'x6'1"	4270 x 1850	1200	1600	2	10	2300	5674	8	975	1920	£2,031
LWT-103	14'x6'1"	4270 x 1850	1500	2000	2	12	2300	5674	8	975	1920	£2,090
Part number	List of optional extras for Lightweight, Widebody and Standard trailers											
OP001	Centre deck kit (wood)										£190	
OP003	Secure hitch lock AL-KO red (available for trailers up to 2000kg)										£120	
OP004	Secure hitch lock AL-KO or SAS silver (available for trailers up to 2000kg)										£90	
OP006	Jerry can/fuel box (2 can)										£92	
OP007	Jerry can/fuel box (3 can)										£120	
OP008	Jerry can/fuel box (4 can)										£140	
OP009	Side mounted strap box										£82	
OP011	Electric winch 4500lb fitted with battery and battery box (recommended for Heavy duty widebody trailers)										£390	
OP012	Electric winch 3500lb fitted with battery and battery box (recommended for Heavy duty widebody trailers)										£350	
OP014	Set of medium duty straps with loops 1000kg										£72	
OP015	Set of heavy duty straps with loops 2000kg										£88	
OP016	Tyre rack (adjustable)										£249	
OP017	Wheel chocks (set of two)										£45	
OP018	Manual strap winch (lightweight duty)										£97	
OP019	Manual 2 speed 2500lb winch with 6mm x8m wire										£157	
OP020	Manual single speed winch 3200lb with 6mm x8m wire										£197	
OP023	Wheel clamp SAS										£90	

Widebody: car transporter range

This trailer is ideal for wide low ground clearance cars

TWR = Tilt With Ramps

Model	Bed Dimensions		Load	Gross	Wheel size Axes	O/A width	O/A length	Loading angle	Gap between runways	Ramp length	Price ex VAT	
	In feet and inches	In mm										kg
WBT-009	8'x5'10"	2440 x 1780	950	1300	1	12	2170	3725	13	890	1520	£1,616
WBT-008	9'x5'10"	2740 x 1780	950	1300	1	12	2170	4025	13	890	1520	£1,616
WBT-008	9'X6'	2740 x 1830	950	1300	1	12	2230	4025	13	100	1520	£1,616
WBT-010	10'x5'10"	3050 x 1780	950	1300	1	12	2170	4325	13	890	1900	£1,676
WBT-011	11'x5'10"	3350 x 1780	950	1300	1	12	2170	4625	13	890	1900	£1,676
WBT-020	11'x5'10"	3350 x 1780	1200	1600	2	10	2170	4625	13	890	1900	£1,996
WBT-002	11'X6'	3350 x 1830	940	1300	1	12	2230	4725	13	100	1900	£1,700
WBT-030	11'x6'6"	3350 x 1980	950	1300	1	12	2330	4725	13	110	1900	£1,700
WBT-040	11'x6'6"	3350 x 1980	1200	1600	2	10	2330	4725	13	110	1900	£2,090
WBT-050	12'x5'10"	3660 x 1780	1200	1600	2	10	2170	4910	13	890	1900	£2,090
WBT-060	12'x6'6"	3660 x 1980	1200	1600	2	10	2330	5010	13	110	1900	£2,090
WBT-071	12'x6'6"	3660 x 1980	1500	2000	2	12	2330	5010	13	110	1900	£2,175
WBT-070	13'x5'10"	3960 x 1780	1200	1600	2	10	2170	5215	13	890	1900	£2,127
WBT-080	13'x6'6"	3960 x 1980	1200	1600	2	10	2330	5315	13	110	1900	£2,175
WBT-081	13'x6'6"	3960 x 1980	1500	2000	2	12	2330	5315	13	110	1900	£2,210
WBT-090	14'x6'6"	4270 x 1980	1200	1600	2	10	2330	5624	13	110	1900	£2,258
WBT-100	14'x6'6" Tilt with ramps	4270 x 1980	1200	1600	2	10	2330	5624	5	110	1900	£2,484
WBT-101	14'x6'6" Tilt with ramps	4270 x 1980	1500	2000	2	12	2330	5624	5	110	1900	£2,638
WBT-110	14'x6'6"	4270 x 1980	1800	2600	2	12	2330	5624	13	110	2450	£2,526
WBT-111	14'x6'6" Tilt with ramps	4270 x 1980	1800	2600	2	12	2330	5624	5	110	2450	£2,793
WBT-120	14'x6'6"	4270 x 1980	2300	3000	2	12	2330	5624	13	110	2450	£2,847
WBT-121	14'x6'6" Tilt with ramps	4270 x 1980	2300	3000	2	12	2330	5624	5	110	2450	£2,976
WBT-130	16'x6'6"	4870 x 1980	1950	2600	2	12	2330	6224	13	110	2450	£2,674
WBT-131	16'x6'6" Tilt with ramps	4870 x 1980	1950	2600	2	12	2330	6224	5	110	2450	£2,817
WBT-140	16'x6'6"	4870 x 1980	2300	3000	2	12	2330	6224	13	110	2450	£3,078
WBT-141	16'x6'6" Tilt with ramps	4870 x 1980	2300	3000	2	12	2330	6224	5	110	2450	£3,147

Standard Trailers

The Standard range of trailers can carry a wide range of vehicles to 2400kg

The ramps slide out from under the runways

T = Tilt**TWR = Tilt With Ramps**

Model	Bed Dimensions		Load	Gross	Wheel size Axes	O/A width	O/A length	Loading angle	Gap between runways	Ramp length	Price ex VAT	
	In feet and inches	In mm										kg
STT-010	12'x6'1" T	3660 x 1850	900	1300	1	12	2330	5275	10	915		£1,707
STT-020	12'x6'1" T	3660 x 1850	1150	1500	1	12	2330	5275	10	915		£1,778
STT-030	12'x6'1"	3660 x 1850	2050	2600	2	12	2330	4974	8	915	1500	£2,013
STT-040	12'x6'1" TWR	3660 x 1850	2050	2600	2	12	2330	5575	5.5	915	1500	£2,360
STT-050	13'x6'1"	3960 x 1850	2050	2600	2	12	2330	5274	8	915	1500	£2,055
STT-060	13'x6'1" TWR	3960 x 1850	2050	2600	2	12	2330	5524	5.5	915	1500	£2,430
STT-070	14'x6'1"	4260 x 1850	2050	2600	2	12	2330	5574	8	915	1500	£2,083
STT-080	14'x6'1" T	4260 x 1850	2050	2600	2	12	2330	5824	10	915		£2,360
STT-090	14'x6'1" TWR	4260 x 1850	2050	2600	2	12	2330	5824	5.5	915	1500	£2,499
STT-100	14'x6'1"	4260 x 1850	2400	3000	2	12	2330	5574	8	915	1500	£2,360
STT-110	14'x6'1" T	4260 x 1850	2400	3000	2	12	2330	5874	10	915		£2,777
STT-120	14'x6'1" TWR	4260 x 1850	2400	3000	2	12	2330	5874	5.5	915	1500	£2,915
STT-190	16'x6'1"	4870 x 1850	2050	2600	2	12	2330	6137	8	915	1500	£2,222
STT-200	16'x6'1" T	4870 x 1850	2050	2600	2	12	2330	6427	10	915		£2,430
STT-210	16'x6'1" TWR	4870 x 1850	2050	2600	2	12	2330	6427	5.5	915	1500	£2,569
STT-220	16'x6'1"	4870 x 1850	2400	3000	2	12	2330	6137	8	915	1500	£2,707
STT-230	16'x6'1" T	4870 x 1850	2400	3000	2	12	2330	6477	10	915		£2,991
STT-240	16'x6'1" TWR	4870 x 1850	2400	3000	2	12	2330	6477	5.5	915	1500	£3,123

STT-250	16x61"	4870 x 1850	2800	3500	2	12	2330	6137	8	915	1500	£2,915
---------	--------	-------------	------	------	---	----	------	------	---	-----	------	--------

Flatbed Range:

These trailers are extremely robust and like all our trailers are very user friendly.

Flatbeds are ideal for Cars, Diggers, Tractors, Mowers, Plant Equipment

With options of Tyre Rack

Storage Boxes, Winch, Wheel Chocks & Extra lights

All Flatbed trailers are fitted with 2.5 m ramps as standard

Model	Bed Dimensions		Load	Gross	Wheel size Axles	O/A width	O/A length	Loading angle	Bed height	Price ex VAT	
	In feet and inches	In mm	kg	kg	number	inches	mm	mm	degrees	mm	
FBT-009	10'x7'3"	3050 x2220	2050	2600	2	12	2220	4450	11	620	£1,980
FBT-010	12'x7'3"	3660 x 2220	2000	2600	2	12	2220	5050	11	620	£2,151
FBT-020	12'x7'3"	3660 x 2220	2800	3500	2	12	2220	5050	11	620	£2,593
FBT-050	14'x7'3"	4260 x 2220	1950	2600	2	12	2220	5670	11	620	£2,277
FBT-070	14'x7'3"	4260 x 2220	2750	3500	2	12	2220	5670	11	620	£2,657
FBT-130	16'x7'3"	4870 x2220	1900	2600	2	12	2220	6225	11	620	£2,404
FBT-150	16' x7'3"	4870 x 2220	2700	3500	2	12	2220	6225	11	620	£2,848
FBT-210	18' x7'3"	5500 x 2220	1850	2600	2	12	2220	6835	11	620	£2,657
FBT-230	18'x7'3"	5500 x 2220	2650	3500	2	12	2220	6835	11	620	£3,099
FBT-290	20'x7'3"	6100 x 2220	1800	2600	2	12	2220	7425	11	620	£2,783
FBT-310	20'x7'3"	6100 x 2220	2600	3500	2	12	2220	7425	11	620	£3,225
FBT-151	16'x7'3"	4870 x2220	2670	3500	3	10	2220	6225	15	590	£3,048
FBT-231	18'x7'3"	5500 x 2220	2620	3500	3	10	2220	6835	15	590	£3,299
FBT-311	20'x7'3"	6100 x 2220	2570	3500	3	10	2220	7425	15	590	£3,425
Part number	Optional extras										
OP MP01	Manual Hydraulic tilt system(will reduce load 60kg)										
OP002	Centre deck storage										
OP005	Ladder rack										
OP006	Jerry can /fuel box(2 can)										
OP007	Jerry can /fuel box(3 can)										
OP008	Jerry can /fuel box(4 can)										
OP009	Strap box										
OP010	Electric winch 12000 lb fitted with battery and battery box										
OP011	Electric winch 4500 lb fitted with battery and battery box										
OP012	Electric winch 3500 lb fitted with battery and battery box										
OP013	Electric winch 2500 lb fitted with battery and battery box										
OP014	Set of 4 medium duty straps with loops 1000kg										
OP015	Set of 4 heavy duty straps with loops 2000kg										
OP016	Tyre rack (adjustable)										
OP019	Manual 2 speed 2500lb winch with 6mm x8m wire										
OP020	Manual single speed winch 3200lb with 6mm x8m wire										
OP023	Wheel clamp SAS										
OP026	Second spare wheel										
OP029	10" alloy wheels (£59 extra per wheel)										
OP030	Assistor ramps set of 2 (aluminium)										
OP031	Wireless remote control for electric winch										

